



SAFETY DATA SHEET

XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

1. Identification

Product identifier

Product name XStreme #8015 Fresh & Clean
 Product number 50-XST-8015

Recommended use of the chemical and restrictions on use

Restriction on use Odor Control
 Uses advised against Do not ingest as such. Avoid eye contact. This product is not used for body odor control.

Details of the supplier of the safety data sheet

Manufacturer Ecolo Odor Control Technologies Inc.
 59 Penn Drive
 Toronto, ON M9L 2A6, Canada
 Tel: (416)740-3900
 Fax: (416)740-3800

Emergency telephone number

National emergency telephone number CANUTEC 613-996-6666

2. Hazard identification

Classification of the substance or mixture

Physical hazards Flam. Liq. 4 - H227
 Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2B - H320 Skin Sens. 1 - H317
 Environmental hazards Aquatic Acute 3 - H402 Aquatic Chronic 3 - H412

(This product is not expected to be hazardous to the environment unless discharged directly in large volumes.)

Label elements

Hazard pictograms



Signal word

Warning

Hazard statements

H315+H320 Causes skin and eye irritation.
 H227 Combustible liquid.
 H317 May cause an allergic skin reaction.
 H412 Harmful to aquatic life with long lasting effects.



XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

Precautionary statements	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P273 Avoid release to the environment (see Environmental Precautions in section 6).</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P261 Avoid breathing dust or mist.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P403 Store in a well-ventilated place.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p>
Contains	(R)-p-mentha-1,8-diene, 2-methoxy-4-prop-2-enylphenol, (E)-3-phenylprop-2-enal, 2-oxabicyclo[2.2.2]octane, 1,3,3-trimethyl, citral, 3,7-dimethyloct-6-enal

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

isopentyl acetate CAS number: 123-92-2	10-30%
benzaldehyde CAS number: 100-52-7	5-10%
(R)-p-mentha-1,8-diene CAS number: 5989-27-5	5-10%
bicyclo{2,2,1} heptan-2-ol, 1,7,7-trimethyl-,exo CAS number: 125-12-2	5-10%
2-(2-[4-(1,1,3,3-tetramethylbutyl)phenoxy]ethoxy)ethanol CAS number: 9036-19-5	1-5%
3-cyclohexene-1-methanol,a,a,4-trimethyl CAS number: 98-55-5	1-5%
2-methoxy-4-prop-2-enylphenol CAS number: 97-53-0	1-5%



XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

(E)-3-phenylprop-2-enal CAS number: 104-55-2	1-5%
pentyl 2-hydroxybenzoate CAS number: 2050-08-0	1-5%
methyl 2-hydroxybenzoate CAS number: 119-36-8	1-5%
2-oxabicyclo[2.2.2]octane, 1,3,3-trimethyl CAS number: 470-82-6	1-5%
4,6,6-trimethylbicyclo[3.1.1]hept-3-ene CAS number: 80-56-8	<1%
phenoxybenzene CAS number: 101-84-8	<1%
benzyl acetate CAS number: 140-11-4	<1%
chromen-2-one CAS number: 91-64-5	<1%
4-isopropylidene-1-methylcyclohexene CAS number: 586-62-9	<1%
citral CAS number: 5392-40-5	<1%
1,3-benzodioxole-5-carbaldehyde CAS number: 120-57-0	<1%
(2E)-3,7-dimethylocta-2,6-dien-1-ol CAS number: 106-24-1	<1%
3,7-dimethyloct-6-enal CAS number: 106-23-0	<1%



XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

3-methylbutan-1-ol CAS number: 123-51-3	<1%
ethyl acetate CAS number: 141-78-6	<1%
4,7,7-trimethylbicyclo[2.2.1]heptan-3-one CAS number: 76-22-2	<1%
4,7,7-trimethylbicyclo[4.1.0]hept-3-ene CAS number: 13466-78-9	<1%

4. First-aid measures

Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Get medical advice/attention if you feel unwell.
Skin contact	Wash skin thoroughly with soap and water. In the event of any sensitization symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse with water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves.

Most important symptoms and effects, both acute and delayed

General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause sensitization or allergic reactions in sensitive individuals.
Skin contact	May cause skin sensitization or allergic reactions in sensitive individuals.
Eye contact	Causes eye irritation.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. May cause sensitization or allergic reactions in sensitive individuals.
----------------------	--



XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

5. Fire-fighting measures

Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |

Specific hazards arising from the hazardous product

- | | |
|-------------------------------|--|
| Specific hazards | Combustible liquid. |
| Hazardous combustion products | Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. |

Advice for firefighters

- | | |
|---|--|
| Protective actions during firefighting | Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. If risk of water pollution occurs, notify appropriate authorities. |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing that provides a basic level of protection during chemical incidents is defined by the Canada Occupational Health and Safety Regulations, by provincial guidelines on occupational health and safety or by NFPA standards if applicable. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- | | |
|----------------------|---|
| Personal precautions | No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid contact with skin and eyes. |
|----------------------|---|

Environmental precautions

- | | |
|---------------------------|---|
| Environmental precautions | Avoid discharge into drains or watercourses. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air). |
|---------------------------|---|

Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| Methods for cleaning up | Wear protective clothing as described in Section 8 of this safety data sheet. Approach the spillage from upwind. If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labeled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. |
|-------------------------|--|

Reference to other sections

- | | |
|-----------------------------|---|
| Reference to other sections | For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. |
|-----------------------------|---|



XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

7. Handling and storage

Precautions for safe handling

Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Utilize retaining walls to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Miscellaneous hazardous material storage.

Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.
---------------------	---

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

isopentyl acetate

Long-term exposure limit (8-hour TWA): ACGIH 50 ppm 266 mg/m³

Short-term exposure limit (15-minute): ACGIH 100 ppm 532 mg/m³

phenoxybenzene

Long-term exposure limit (8-hour TWA): ACGIH 1 ppm 7 mg/m³ vapor

Short-term exposure limit (15-minute): ACGIH 2 ppm 14 mg/m³ vapor

benzyl acetate

Long-term exposure limit (8-hour TWA): ACGIH 10 ppm 61 mg/m³

A4

citral

Long-term exposure limit (8-hour TWA): ACGIH 5 ppm 32 mg/m³ inhalable fraction and vapor

A4, DSens, Sk

3-methylbutan-1-ol

Long-term exposure limit (8-hour TWA): ACGIH 100 ppm 361 mg/m³

Short-term exposure limit (15-minute): ACGIH 125 ppm 452 mg/m³

ethyl acetate

Long-term exposure limit (8-hour TWA): ACGIH 400 ppm 1440 mg/m³

4,7,7-trimethylbicyclo[2.2.1]heptan-3-one



XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

Long-term exposure limit (8-hour TWA): ACGIH 2 ppm 12 mg/m³

Short-term exposure limit (15-minute): ACGIH 3 ppm 19 mg/m³

A4

4,7,7-trimethylbicyclo[4.1.0]hept-3-ene

Long-term exposure limit (8-hour TWA): ACGIH 20 ppm 112 mg/m³

A4, DSens

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

DSens = Dermal sensitizer.

Sk = Danger of cutaneous absorption.

Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Wear eye protection.
Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.9), and any relevant provincial regulation relating to health and safety at work. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	May cause skin sensitization or allergic reactions in sensitive individuals. Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Full face mask respirators with replaceable filter cartridges should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Half mask and quarter mask respirators with replaceable filter cartridges should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Liquid.



XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

Colour	Pale Yellow to med yellow
Odour	Characteristic.
Odour threshold	No information available.
pH	Not applicable.
Melting point	No information available.
Initial boiling point and range	>100°C/>212°F
Flash point	~ 82°C/179.6°F Closed cup.
Evaporation rate	< 1 (butyl acetate = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	No information available.
Vapour pressure	No information available.
Vapour density	>1 (Air/H ₂ =1)
Relative density	0.925 - 0.945 @ 20°C/68°F
Solubility(ies)	Immiscible with water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	Kinematic viscosity ≤ 20.5 mm ² /s.
Other information	None.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

11. Toxicological information

Information on toxicological effects



XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

<i>Acute toxicity - oral</i>	
Notes (oral LD ₅₀)	LD ₅₀ >2000 mg/kg, Oral,
<i>Acute toxicity - dermal</i>	
Notes (dermal LD ₅₀)	LD ₅₀ >5000 mg/kg, Dermal,
<i>Acute toxicity - inhalation</i>	
Notes (inhalation LC ₅₀)	LC ₅₀ >2 mg/l, , Vapour
<i>Skin corrosion/irritation</i>	
Animal data	Irritating.
<i>Serious eye damage/irritation</i>	
Serious eye damage/irritation	Based on available data the classification criteria are not met.
<i>Respiratory sensitization</i>	
Respiratory sensitization	Based on available data the classification criteria are not met.
<i>Skin sensitization</i>	
Skin sensitization	May cause skin sensitization or allergic reactions in sensitive individuals.
<i>Germ cell mutagenicity</i>	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
<i>Carcinogenicity</i>	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
<i>Reproductive toxicity</i>	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
<i>Specific target organ toxicity - single exposure</i>	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
<i>Specific target organ toxicity - repeated exposure</i>	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
<i>Aspiration hazard</i>	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	
	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause sensitization or allergic reactions in sensitive individuals. May cause irritation.
Skin contact	May cause skin sensitization or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	May cause temporary eye irritation.
Route of exposure	Ingestion Inhalation Skin and/or eye contact



XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

Target organs	No specific target organs known.
Medical considerations	Skin disorders and allergies.

12. Ecological information

Toxicity Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Mobility in soil

Mobility No data available.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, TDG).

UN number

UN No. (International) Not applicable.

UN proper shipping name

Proper shipping name (International) Not applicable.

Transport hazard class(es)

Transport Labels (International) No transport warning sign required.



XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

Transport labels

No transport warning sign required.

DOT transport label

Packing group

Packing group (International) Not applicable.

Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

Special precautions for user

Not applicable.

DOT TIH Zone Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

Inventories

Canada – DSL/NDSL

All the ingredients are listed or exempt.

16. Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ATE: Acute Toxicity Estimate. CAS: Chemical Abstracts Service. cATpE: Converted Acute Toxicity Point Estimate. DNEL: Derived No Effect Level. GHS: Globally Harmonized System. IARC: International Agency for Research on Cancer. IATA: International Air Transport Association. ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. Kow: Octanol-water partition coefficient. LC₅₀: Lethal Concentration to 50 % of a test population. LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. SVHC: Substances of Very High Concern. UN: United Nations. TDG: Transportation of Dangerous Goods. UVCB - Unknown or variable composition, complex reaction products or Biological materials. vPvB: Very Persistent and Very Bioaccumulative.

Training advice Only trained personnel should use this material.

Revision date 2019-07-19

Revision 2.2

SDS number 4761



XStreme #8015 Fresh & Clean

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

Hazard statements in full	H227 Combustible liquid. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H320 Causes eye irritation. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lasting effects.
---------------------------	--

Disclaimer - Ecolo Odor Control Technologies Inc.	This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.
---	---